

REDI HAUL

TRAILERS WITH A LEGACY



TILT BED TRAILERS

FAST LOADING. SECURE EQUIPMENT.

Redi Haul's Tilt Trailers are offered in both equipment & deck over. Both trailers come with the option of full tilt bed or split with platform. These are great trailers for hauling excavators, backhoes, pavers, dozers, skid loaders, scissor lifts, and mini-excavators.

INDUSTRIES

- CONSTRUCTION
- GOVERNMENT
- LANDSCAPING
- MUNICIPALITIES
- OIL & GAS
- RAILROAD
- UTILITIES
- RENTAL



EQUIPMENT SPLIT TILT

ES & EXS SERIES

MEDIUM DUTY, LOW HEIGHT & STATIONARY DECK

HIGHLIGHTS



EZ LATCH SYSTEM

- **Standard:** EZ Latch System
- **Optional:** Flow Control, Dual Locking Cylinder, Power Up/Power Down



TREAD PLATE APPROACH PLATE

- **Standard:** Tread Plate Approach Plate
- **Optional:** Full Width Approach Plate, Anti Slip Metal



STATIONARY DECK

- **Options:** 4' Deck, 6' Deck, 8' Deck



LENGTH
18-26 FT.



PULL TYPE
BUMPER & GOOSENECK



GVWR
14,000-18,500 LBS.



CAPACITY
9,000-15,000 LBS.

STANDARD EQUIPMENT

- Axle: Torsion or Spring
- Brake: Electric or Surge
- Ramp: 21" Full Width Approach Plate
- Jack: 8,000lbs or 12,000lbs Drop Leg
- Hitch: 2-5/16" Ball Coupler - Adjustable
- Deck: 2" Nominal Oak
- Securement: D-Rings 8X (4 each side)
- Tilt Angle: $\approx 9^\circ$
- EZ Latch Tilt System
- Tilt Cushion Cylinder
- 5' Tongue



EQUIPMENT FULL TILT

ET & EXT SERIES

MEDIUM DUTY, LOW HEIGHT & EASY LOADING

HIGHLIGHTS



TREAD PLATE APPROACH PLATE

- **Standard:** Tread Plate Approach Plate
- **Optional:** Full Width Approach Plate, Anti Slip Metal



RUBBER DECK (CUSTOM)

- **Standard:** 2" Oak Lumber
- **Optional:** Pressure Treated Pine, Apitong, Rubber, Steel



EZ LATCH SYSTEM

- **Standard:** EZ Latch System
- **Optional:** Flow Control, Dual Locking Cylinder, Power Up/Power Down



LENGTH
16 FT. - 22 FT.



PULL TYPE
BUMPER & GOOSENECK



GVWR
12,190-18,400 LBS.



CAPACITY
9,000-15,000 LBS.

STANDARD EQUIPMENT

- Axle: Torsion or Spring
- Brake: Electric or Surge
- Ramp: 21" Full Width Approach Plate
- Jack: 8,000lbs or 12,000lbs Drop Leg
- Hitch: 2-5/16" Ball Coupler - Adjustable
- Deck: 2" Nominal Oak
- Securement: D-Rings 6X (3 each side)
- Tilt Angle: $\approx 9^\circ$
- EZ Latch Tilt System
- Tilt Cushion Cylinder
- 5' Tongue



DECK OVER SPLIT TILT

FS SERIES

HEAVY DUTY, DECK OVER & STATIONARY DECK

HIGHLIGHTS



SWIVEL APPROACH PLATE

- **Standard:** Swivel Approach Plate
- **Optional:** Full Width Approach Plate, Power Ramps, Mansfield Bar



ADDITIONAL OPTIONS

- **Options:** Electric/Hydraulic Jack, Twin Jacks, Chock Holders, Chain Box With Lid, Spare Tire With Bracket



OAK DECK

- **Standard:** 2" Oak Lumber
- **Optional:** Pressure Treated Pine, Apitong, Rumber, Steel



LENGTH
CUSTOM



PULL TYPE
BUMPER & GOOSENECK



GVWR
25,000-45,000 LBS.



CAPACITY
18,600-35,200 LBS.

STANDARD EQUIPMENT

- Axle: Spring
- Brake: Electric & Air
- Ramp: 12" x 32" Swivel Approach Plate - 2x
- Jack: 12,000lbs or 25,000lbs Drop Leg
- Hitch: 3" Pintle Eye - Adjustable
- Deck: 2" Nominal Oak
- Securement: D-Rings 8X (4 each side)
- Tilt Angle: $\approx 15^\circ$
- Automatic Platform Latch
- Dual Tilt Cushion Damper Cylinder
- Chain Box
- Mud Flaps



DECK OVER FULL TILT

FT SERIES

HEAVY DUTY & DECK OVER

HIGHLIGHTS



FULL TILT DECK

- **Options:** Extra D-Ring, Stake Pocket & Rub Rail, Spare Tire With Bracket, Winch Plate and Winch



MANSFIELD BAR (CUSTOM)

- **Standard:** Swivel Approach Plate
- **Optional:** Mansfield Bar



TWIN CYLINDER LIFT

- **Standard:** Twin Cylinder Tilt
- **Optional:** Flow Control Valve Outside, Power Up/Power Down



LENGTH
CUSTOM



PULL TYPE
BUMPER & GOOSENECK



GVRW
25,000-43,650 LBS.



CAPACITY
18,600-35,200 LBS.

STANDARD EQUIPMENT

- Axle: Spring
- Brake: Electric & Air
- Ramp: 12" x 32" Swivel Approach Plate - 2x
- Jack: 12,000lbs or 25,000lbs Drop Leg
- Hitch: 3" Pintle Eye - Adjustable
- Deck: 2" Nominal Oak
- Securement: D-Rings 8X (4 each side)
- Tilt Angle: $\approx 15^\circ$
- Automatic Platform Latch
- Dual Tilt Cushion Damper Cylinder
- Chain Box
- Mud Flaps



PAN STYLE

ML SERIES

LIGHT DUTY, COMPACT & EASY LOADING

HIGHLIGHTS



PINE DECK

- **Standard:** ML54 - Steel, ML74 - Pine Lumber
- **Optional:** Pressure Treated Pine, Oak, Steel, Anti Slip Metal



EZ LATCH SYSTEM

- **Standard:** EZ Latch System, Gravity Tilt
- **Optional:** Damping Cushion - ML74



FULL WIDTH SPLIT RAMP

- **Standard:** ML54 - Full Width Split Ramp, ML74 - Full Width Approach Plate
- **Optional:** Full Width Ramp, Approach Plate, Split Ramp



LENGTH
9-14 FT.



PULL TYPE BUMPER



GVWR
6,500-9,200 LBS.



CAPACITY
5,440-7,600 LBS.

STANDARD EQUIPMENT

- Axle: Torsion
- Brake: Electric or Surge
- Ramp: Full Width Approach Plate
- Jack: 2,000lbs Swing Away
- Hitch: 2" or 2-5/16" Ball Coupler - Adjustable
- Deck: Steel or 2" Nominal Pine
- Securement: D-Rings 4X (2 each side)
- Tilt Angle: $\approx 8^\circ - 10^\circ$
- EZ Latch Tilt System
- 5' Tongue

LIFETIME LIMITED WARRANTY!

VALUES

- ✓ QUALITY
- ✓ TRUST
- ✓ CUSTOM
- ✓ CUSTOMER SERVICE
- ✓ EXPERIENCE
- ✓ COMMITMENT



CONNECT WITH US



RediHaul.com | sales@redihaul.com | 507.238.4231

1205 North Dewey Street
Fairmont, Minnesota 56031